

WHAT IS CLAIMED IS:

1. An image process system comprising:

an image display member on which an image is displayed;

5 and

an image process apparatus, wherein:

the image display member includes a data storage unit  
for storing data; and

the data process apparatus includes:

10 a image read unit for reading the displayed image;

and

a data input/output unit for performing at least  
one of reading the stored data and writing another data  
into the data storage unit.

15

2. An image process apparatus comprising:

a image read unit for reading an image displayed on an  
image display member; and

a data input/output unit for performing at least one of  
20 reading data stored in the image display member and writing  
another data into the image display member.

3. The image process apparatus according to claim 2,  
further comprising:

25 an image process unit for processing the read image on

the basis of the read data.

4. The image process apparatus according to claim 2, further comprising:

5 an original accumulation unit for accumulating the image display member; and

a transport unit for transporting the accumulated image display member to a position where the displayed image is read, wherein:

10 the data input/output unit performs the at least one of reading the data stored in the accumulated image display member and writing another data into the accumulated image display member.

15 5. The image process apparatus according to claim 4, wherein when the accumulated image display member is a plurality of image display members, the data input/output unit performs the at least one with respect to the plurality of image display members.

20

6. The image process apparatus according to claim 4, further comprising:

a display unit for displaying the read data, wherein:

25 when the image display member is accumulated at the original accumulation unit, the data input/output unit performs

reading the stored data.

7. The image process apparatus according to claim 2,  
further comprising:

5 a transport unit for transporting the accumulated image  
display member to a position where the displayed image is read,  
wherein:

the data input/output unit performs the at least one with  
respect to the image display member being transported.

10

8. The image process apparatus according to claim 2,  
further comprising:

a fix unit for fixing the image display member at a position  
where the displayed image is read, wherein:

15 the data input/output unit performs the at least one with  
respect to the fixed image display member.

9. An image process method comprising:

reading data stored in an image display member; and

20 reading image displayed on the image display member.

10. The image process method according to claim 9,  
further comprising:

writing another data into the image display member.

25

11. A program making a computer perform a process comprising:

reading data stored in an image display member; and  
reading image displayed on the image display member.

5

12. The program according to claim 11, wherein the process further includes:

writing another data into the image display member.

10